

1379101-1 ✓ ACTIVE

MQS

TE Internal #: 1379101-1

18 Position, Black, Cover Assembly, PBT GF, -40 – 100 °C [-40 – 212 °F]

[View on TE.com >](#)



Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: **18**

Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cover Assembly**

Primary Product Material: **PBT GF**

Strain Relief: **Without**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover Assembly
---	----------------

Configuration Features

Number of Positions	18
---------------------	----

Body Features

Primary Product Color	Black
-----------------------	-------

Primary Product Material	PBT GF
--------------------------	--------

Mechanical Attachment

Strain Relief	Without
---------------	---------

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
-----------------------------	----------------

Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Method	Box
------------------	-----

Packaging Quantity	1100
--------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)
Candidate List Declared Against: JUNE 2025 (250)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 185306-1
LEVER FOR MQS 18W



TE Part # CAT-SIGH262
Signal Header


Customers Also Bought



TE Part #814324-SF
FN2210-250-99-R5



TE Part #953466-1
18W MQS HEADER ASS



TE Part #967688-2
4P,TAB0.63X0.63,HDR,90DEG,SMD



TE Part #1-968321-2
MQS ABDECKKAPPE 40P



TE Part #CAT-M8793-CH8172
MQS, CONNECTOR HOUSING



TE Part #7-968972-1
MCP2.8 GEH ASSY 12P



TE Part #5-1241410-1
AMP MCP 6.3/4.8K, CONTACT, SWS



TE Part #1-2007492-7
SFP+assy2x1 EMI Sprng Outer Lp Sn
Enhance



TE Part #2208165-1
20POS,NANO MQS,HEADER ASSY,
CODA

Documents

Product Drawings

[COV+LEV MQS 18W 90DEG BLK](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1379101-1_B.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1379101-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1379101-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

French

[Product Specification](#)

English

Instruction Sheets

[Instruction Sheet \(non U.S.\)](#)

French

1379101-1

18 Position, Black, Cover Assembly, PBT GF, -40 – 100 °C [-40 – 212 °F]



Instruction Sheet (non U.S.)

English