



CII

TE Internal #: 1472962-1

Time Delay Relay, AC & DC, 2 Form C DPDT-CO, 10 A Contact

Rating, Socket Mount, 65 °C [149 °F]

[View on TE.com >](#)

Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **Time Delay Relay**

Current Type: **AC & DC**

Contact Arrangement: **2 Form C DPDT-CO**

Contact Current Rating: **10 A**

Product Mount Type: **Socket Mount**

Features

Dimensions

Product Width	50 mm[1.97 in]
Product Length	50 mm[1.97 in]
Product Height	101 mm[3.95 in]

Usage Conditions

Operating Temperature Range	-30 – 65 °C
Environmental Ambient Temperature (Max)	65 °C[149 °F]

Electrical Characteristics

Input Voltage	48 VAC
Contact Current Rating	10 A

Operation/Application

Type of Control	Knob
Delay Time	.5 – 15 seconds
Mode of Operation	On-Delay
Repeatability (Max)	±1% ±4 msec
Current Type	AC & DC

Product Type Features

Relay & Contactor Type	Time Delay Relay
------------------------	------------------



Configuration Features

Contact Arrangement	2 Form C DPDT-CO
---------------------	------------------

Mechanical Attachment

Product Mount Type	Socket Mount
--------------------	--------------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Not Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



Documents

Product Drawings

[SSC12FBA="RLY,ON,2P,48VAC/48VD](#)

English

Datasheets & Catalog Pages

[5-1773450-5_sec12_SSC](#)

English