

1534184-1 ✓ ACTIVE

AMP | AMP MCP Connector System, AMP MCP Hybrids

TE Internal #: 1534184-1

Cover Assembly, Black, PBT GF, 32 Position, -40 – 140 °C [-40 – 284 °F], AMP MCP Connector System

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover Assembly**

Strain Relief: **With**

Primary Product Color: **Black**

Primary Product Material: **PBT GF**

Number of Positions: **32**

Features

Packaging Features

Packaging Method	Carton
Packaging Quantity	300

Product Type Features

Protection & Strain Relief Accessory Type	Cover Assembly
---	----------------

Mechanical Attachment

Strain Relief	With
---------------	------

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF

Configuration Features

Number of Positions	32
---------------------	----

Usage Conditions

Operating Temperature (Max)	125 °C[212 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant



Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | [AMP MCP Connector System](#)




Automotive Connector Caps & Covers (4)




Automotive Connector Locks & Position Assurance(4)



Automotive Headers(31)




Automotive Housings(49)



Automotive Terminals(7)




Connector Seals & Cavity Plugs(5)




Insertion & Extraction Tools(13)



Other Automotive Connector Accessories(2)



PCB Headers & Receptacles(31)



Wire-to-Board Headers & Receptacles (30)

Also in the Series | [AMP MCP Hybrids](#)



Automotive Connector Caps & Covers (4)



Automotive Housings(49)

Customers Also Bought



Documents

Product Drawings

MCP COVER ASSY32P

English

CAD Files

Customer View Model

[ENG_CVM_1534184-1_C1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1534184-1_C1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1534184-1_C1.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English