




Nanonics

TE Internal #: 1589054-9

25 Position D-Shaped Connector, Receptacle, Wire-to-Wire, Cable Mount (Free-Hanging), .64 mm [.025 in] Centerline, Wire & Cable, Signal

[View on TE.com >](#)

Connectors > D-Shaped Connectors > DUALOBE Receptacle Connectors: Metal Shell, 25 Pin/2 Row



Number of Positions: **25**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Wire**

Connector Mounting Type: **Cable Mount (Free-Hanging)**

Centerline (Pitch): **.64 mm [.025 in]**

[All DUALOBE Receptacle Connectors: Metal Shell, 25 Pin/2 Row \(17\)](#)

Features

Product Type Features

Compatible With Discrete Wire Type	Stranded
Connector & Housing Type	Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	25
---------------------	----

Contact Features

Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Beryllium Copper
Contact Current Rating (Max)	1 A
Contact Options	Installed

Termination Features

Termination Method to Wire & Cable	Solder Cup
------------------------------------	------------

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Centerline (Pitch)	.64 mm [.025 in]
--------------------	------------------

Usage Conditions

Operating Temperature Range	-200 – 200 °C [-328 – 392 °F]
-----------------------------	-------------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought




TE Part #2803-4-22143
CONT SOC ASSY



Single Wall 

TE Part #032015-000
82A0111-22-9




Single Wall 


TE Part #753895-000
82A0111-12-9




TE Part #YDIV44E21-35PNC001
RECP ASSY



TE Part #819097-000
381A302-51-0



TE Part #RSM09-19-33S-090
PLUG ASSY



TE Part #819096-000
381A301-51-0



TE Part #277150-1
TERMINAL,COPALUM R 2 1/4

TE Part #Y3104-242-0100V003
MODULE ASSY

TE Part #4-2221760-1
RCPT ASSY, AMPLIMITE SERIES 90,
IP67

Documents

Product Drawings

[STM02511500SCN = SOLDER CUP](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1589054-9_F.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1589054-9_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1589054-9_F.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

STM02511500SCN

25 Position D-Shaped Connector, Receptacle, Wire-to-Wire, Cable Mount (Free-Hanging), .64 mm [.025 in] Centerline, Wire & Cable, Signal



[Datasheets & Catalog Pages](#)

[1589054 Nanonics Cross Reference](#)

English