




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 509 – 3260 CMA

Stud Size: #8, M4

Features

Configuration Features

Number of Holes	1
-----------------	---

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	8000
Packaging Method	Strip/Reel

Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None

Dimensions

--	--



	.059 in
Wire Size	509 – 3260 CMA
Stud Diameter	4.3 mm [.169 in]
Tongue Thickness	.51 mm [.02 in]
Product Length	17.78 mm [.7 in]
Barrel Inside Diameter	.89 mm, 2.16 mm [.035 in] [.085 in]
Compatible Insulation Diameter (Max)	.3 mm [.118 in]
Compatible Insulation Diameter Range	1.5 – 3 mm [.059 – .118 in]

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability









Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


 <p>TE Part # 2150074-2 OCEAN_2.0_Applicator-E-090F140F-REA</p>	 <p>TE Part # 2150074-1 OCEAN_2.0_Applicator-E-090F140F-REM</p>	 <p>TE Part # 170011-8 RING STRIP 18-14 MM2 0.503 X 11.938 TPBR</p>	 <p>TE Part # 7-2150074-7 OCEAN_2.0_SPARE_PART_KIT-090F140F</p>
--	--	---	--

Customers Also Bought

 <p>TE Part #2-353294-4 AMP MINI D/R HDR HSG 24P NATU</p>	 <p>TE Part #3-353294-2 AMP MINI D/R HDR HSG 32P NATU</p>	 <p>TE Part #3-353293-3 1.5MM CT MT REC ASSY 13P BLACK</p>	 <p>TE Part #292215-6 MINI CT SGL RELAY 6P NAT</p>
 <p>TE Part #3-353293-4 1.5MM CT MT REC ASSY 14P BLACK</p>	 <p>TE Part #3-353293-2 1.5MM CT MT REC ASSY 12P BLACK</p>	 <p>TE Part #173977-7 CT CONN MT REC ASSY 7P</p>	 <p>TE Part #3-353293-7 1.5MM CT MT REC ASSY 17P BLACK</p>



TE Part #292254-7
CT RELAY HDR ASSY 7P NAT



TE Part #8-292112-3
MT REC ASSY (#26,28)

Documents

Product Drawings

RING TERMINAL AUTOMATIC 22-18 AWG TP

Japanese

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_170225-2_F_c-170225-2-f.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_170225-2_F_c-170225-2-f.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_170225-2_F_c-170225-2-f.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Agency Approvals

Agency Approval Document

English