




Modular Hard Wired Fuse and Relay Box

TE Internal #: 1801627-3

Fuse Holder, High Current Fuse, 2 Fuses (Minimum), UL 94HB, 3G, -40 – 85 °C [-40 – 185 °F], Modular Hard Wired Fuse and Relay Box, Module Components

[View on TE.com >](#)

Connectors > Automotive Connectors > Power Distribution Boxes > Module Components



Component Type: **Fuse Holder**

Fuse Type: **High Current Fuse**

Number of Fuses (Minimum): **2**

Primary Locking Feature: **Clean Body**

Secondary Locking: **No**

Features

Electrical Characteristics

Operating Voltage	12 V
-------------------	------

Other

Coupling With Other TE Modules	Yes
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Type Features

Component Type	Fuse Holder
Fuse Type	High Current Fuse
Primary Locking Feature	Clean Body

Configuration Features

Number of Fuses (Minimum)	2
---------------------------	---

Body Features

Secondary Locking	No
-------------------	----



Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
-----------------------------	---------------------------

Operation/Application

Vibration Class Level	3G
-----------------------	----

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




Also in the Series | Modular Hard Wired Fuse and Relay Box



Customers Also Bought





Documents

Product Drawings

2 MAXIFUSES MODULE WIRED V2

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1801627-3_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1801627-3_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1801627-3_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

French