

1825139-7 ✓ ACTIVE

ALCOSWITCH | ALCOSWITCH Gemini A


TE Internal #: 1825139-7

5 A Toggle Switch, Double Pole - Double Throw Configuration (Pole-Throw), On Off On, 3 Position, 28 VDC, 125 VAC, Panel Mount, ALCOSWITCH Gemini A

[View on TE.com >](#)



Switches > Toggle Switches



Configuration (Pole-Throw): **Double Pole - Double Throw**

Operating Function: **On Off On**

Number of Positions: **3**

Contact Current Rating: **5 A**

Operating Voltage: **28 VDC**

Features

Product Type Features

| | |
|------------------------|---------------|
| Sealed Device | Yes |
| Switch Connection Type | Wire Lugs |
| Toggle Style | Baton Long |
| Switch Type | Toggle Switch |

Configuration Features

| | |
|----------------------------|----------------------------|
| Configuration (Pole-Throw) | Double Pole - Double Throw |
| Operating Function | On Off On |
| Number of Positions | 3 |

Electrical Characteristics

| | |
|---------------------------------------|----------|
| Contact Resistance | 10 mΩ |
| Insulation Resistance | 1000 MΩ |
| Dielectric Withstanding Voltage (Max) | 1000 VAC |
| Contact Current Rating | 5 A |
| Operating Voltage | 125 VAC |



Body Features

| | |
|---------------------|----------|
| Actuator Finish | Nickel |
| Product Orientation | Vertical |
| Bushing Style | Threaded |
| Bushing Thread Size | 1/4-40 |

Contact Features

| | |
|---------------------------------|--------|
| Contact Base Material | Copper |
| Switch Contact Plating Material | Silver |

Mechanical Attachment

| | |
|--------------------|-------------|
| Product Mount Type | Panel Mount |
|--------------------|-------------|

Housing Features

| | |
|----------------|----|
| Process Sealed | No |
|----------------|----|

Dimensions

| | |
|---------------|------------------|
| | .28 in |
| Toggle Length | 12.19 mm[.48 in] |

Industry Standards

| | |
|------------------------|----------|
| UL Flammability Rating | UL 94V-1 |
|------------------------|----------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Wave solder capable to 265°C |


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | ALCOSWITCH Gemini A



Customers Also Bought




TE Part #3-215911-4
34 WAY BLACK MK II RECP



TE Part #350810-2
05P UMNL CAP HSG




TE Part #1-1393243-7
RTE24615



TE Part #2-1415036-1
PTMG0024



TE Part #1579007-8
EXTRACTION TOOL



TE Part #3-1623788-0
SQM5 R68 5% (WIRE)




TE Part #1887204-1
XT28816 metal clip



TE Part #2022104-1
XT17017



TE Part #2378809-1
SDE F MCON 1.2 18-20 ASSY



TE Part #4569203001
ACW0219-0.50-9(NS)

Documents

Product Drawings

[A203SDZQ04](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1825139-7_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1825139-7_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1825139-7_A.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



[SWITCHES_CORE_PROGRAM_CATALOG](#)

English

[GEMINI_SERIES_SWITCHES_QUICK_REF_GUIDE_2-1773458-5](#)

English