



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **Definite Purpose Contactor**

Current Type: **AC**

Contact Current Rating: **20 A**

Coil Voltage Rating: **120 VAC**

Main Termination & Connection Type: **8-32 Screw**

Features

Contact Features

Contact Material	Silver Cadmium Oxide
------------------	----------------------

Configuration Features

Contact Number of Poles	2
-------------------------	---

Electrical Characteristics

Coil Resistance	290 Ω
Contact Switching Voltage (Max)	600 VAC
Contact Current Rating	20 A
Coil Voltage Rating	120 VAC

Product Type Features

Relay & Contactor Type	Definite Purpose Contactor
------------------------	----------------------------

Operation/Application

Current Type	AC
--------------	----

Termination Features

Main Termination & Connection Type	8-32 Screw
Coil Termination & Connection Type	6-32 Screw

Mechanical Attachment

Product Mount Type	Panel Mount
--------------------	-------------

Other

--	--



EU RoHS Compliance	Compliant with Exemptions
EU ELV Compliance	Not Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	<p>Current ECHA Candidate List: JUNE 2024 (241)</p> <p>Candidate List Declared Against: JUNE 2024 (241)</p> <p>SVHC > Threshold: Cd (7.5% in Contact)</p> <p>Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</p>
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





Customers Also Bought



TE Part #2-1415529-1
PT320615




TE Part #5-1419102-4
T9AP5D52-12



TE Part #7-1393104-4
KRPA-14AN-24=KRPA



TE Part #2-1393250-6
W28-XQ1A-11=W28




TE Part #3-1608051-5
157-22C200=R2923



TE Part #5-1609152-2
20SRB1-X=F8425



TE Part #4-1393104-5
KRPA-11DG-24=KRPA



TE Part #302563
RETAINING PIN



TE Part #302562
TOGGLE LINKS



TE Part #7-1393765-3
R10-E1P4-V15.0K=R10

Documents

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2-1393127-0_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-1393127-0_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-1393127-0_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[PRD 10 to 50 Amp Heavy Duty AC or DC Power Relay](#)

English



Product Specifications

Definitions General Purpose Relays

English

Agency Approvals

UL

English