

HSA1022RJ ✓ ACTIVE

CGS | CGS HS

TE Internal #: 2-1625966-1


22 ohm, Wire Wound, 5 %, Power Resistor, 16 W, 2 Terminations,
±50 ppm/°C, Solder Lug, Loose Piece - Tray, 11 mm [.433 in]

Height, CGS HS

[View on TE.com >](#)



Passive Components > Resistors > Chassis Mount Resistors > Power Resistors: Aluminum Housed, HSA



Resistor Type: **Power Resistor**

Resistance Class: **Up to 1kΩ**

Resistance Value: **22 Ω**

Power Rating: **16 W**

Element Type: **Wire Wound**

[All Power Resistors: Aluminum Housed, HSA \(384\)](#)

Features

Product Type Features

Resistor Type	Power Resistor
Element Type	Wire Wound

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Operating Voltage	265 V
Resistance Class	Up to 1kΩ
Resistance Value	22 Ω
Power Rating	16 W
Passive Component Tolerance	5 %

Termination Features

Number of Terminations	2
------------------------	---



Chassis Mount Resistor Termination Type Solder Lug

Mechanical Attachment

Panel Mount Feature Type	Flange with Mounting Holes
--------------------------	----------------------------

Dimensions

Product Height	11 mm [.433 in]
Product Length	36.5 mm [1.437 in]
Product Width	21 mm [.827 in]

Usage Conditions

Temperature Coefficient	±50 ppm/°C
-------------------------	------------

Packaging Features

Packaging Method	Loose Piece - Tray
------------------	--------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



TE Part # 1630027-1
HSC300 100R 5%



TE Part # CAT-C339-H85913
Power Resistors: Aluminum Housed,
HSA



TE Part # 1625999-3
HSC100 10R 5%

Also in the Series | CGS HS




Automotive Housings(1)




Automotive Signal & Power Connector
Housings(1)



Card Edge Connector Housings(1)



Chassis Mount Resistors(1069)




FFC Connectors(1)

Customers Also Bought



TE Part #42822-4
250 FASTON TAB TPBR



TE Part #2-534206-0
40 MODII VRT DR CE 100/115



TE Part #5-747916-2
37 Plug Solder Cup, Gold Flash



TE Part #4-794618-0
10P MICRO MNL ASSY R/A HDR LF



TE Part #3-1437559-7
MTL206N=(MSTL) SW TOG LOCKING



TE Part #8-1625966-5
HSA10 2K2 5%




TE Part #1747981-1
Std HDMI, RA, SMT



TE Part #2101549-2
RECEPTACLE,40 POS,CIRCULAR HD,
PCB,POL2



TE Part #1-2176523-5
3503G 2B 71R5 1% 1K RL



TE Part #1-2314820-4
14P,2MM,B-B,REC,DRVT,2.7,0.1AU,TB

Documents

Product Drawings

[HSA10 22R 5%](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_2-1625966-1_W.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2-1625966-1_W.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-1625966-1_W.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[4-1773460-6_RESISTIVE_SOLUTIONS_RAIL](#)

English

[1309350_PASSIVE_COMPONENT](#)

English

[Aluminium Housed Power Resistors - Type HS Series](#)

English

[8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS](#)

English

HSA1022RJ

22 ohm, Wire Wound, 5 %, Power Resistor, 16 W, 2 Terminations, ± 50 ppm/ $^{\circ}$ C, Solder Lug, Loose Piece - Tray, 11 mm [.433 in] Height, CGS HS

