

2042162-2 ✓ ACTIVE

Z-PACK | Z-PACK Slim UHD


TE Internal #: 2042162-2

96 Position High Speed Backplane Connector, 8 Row, 12 Column,
PCB Mount Header, Right Angle, Unshrouded, 1.45 mm [.057 in]
Centerline, Z-PACK Slim UHD

[View on TE.com >](#)



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Number of Positions: **96**

Row-to-Row Spacing: **1.25 mm [.05 in]**

Mating Alignment: **With**

Mating Alignment Type: **Polarization**

Number of Rows: **8**

Features

Signal Characteristics

Data Rate	20 Gb/s
-----------	---------

Electrical Characteristics

Operating Voltage	30 VAC
Impedance	30 Ω

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Termination Features

Termination Method to PCB	Through Hole - Press-Fit
Termination Post & Tail Length	1.6 mm[.493 in]

Body Features

Shield Material	Copper Alloy
Primary Product Color	Natural

Packaging Features



Packaging Method	Tray
------------------	------

Operation/Application

Durability Rating	250 Cycles
-------------------	------------

Circuit Application	Signal
---------------------	--------

Contact Features

Contact Underplating Material	Nickel
-------------------------------	--------

PCB Contact Termination Area Plating Material Thickness	.5 – 2.5 μm [20 – 100 μin]
---	---

Contact Shape & Form	Dual Beam
----------------------	-----------

Contact Base Material	Copper Alloy
-----------------------	--------------

PCB Contact Termination Area Plating Material	Tin
---	-----

Contact Type	Pin
--------------	-----

Contact Current Rating (Max)	.5 A
------------------------------	------

Housing Features

Number of Shrouded Sides	0
--------------------------	---

End Wall Location	None
-------------------	------

Housing Material	LCP (Liquid Crystal Polymer)
------------------	------------------------------

Centerline (Pitch)	1.45 mm[.057 in]
--------------------	------------------

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
-----------------------------------	-----------------------

Connector System	Board-to-Board
------------------	----------------

Backplane Module Type	Center
-----------------------	--------

PCB Connector Assembly Type	PCB Mount Header
-----------------------------	------------------

Shroud Style	Unshrouded
--------------	------------

Mechanical Attachment

Guide Hardware	Without
----------------	---------

PCB Mount Retention	With
---------------------	------

Mating Retention	Without
------------------	---------

PCB Mount Retention Type	Action/Compliant Tail
--------------------------	-----------------------

PCB Mount Alignment	With
---------------------	------

Mating Alignment	With
------------------	------

Mating Alignment Type	Polarization
-----------------------	--------------

Dimensions



PCB Thickness (Recommended)	1.2 mm
Connector Width	12.51 mm[.493 in]
PCB Hole Diameter	.4 mm[.016 in]
Connector Height	9.5 mm[.374 in]
Connector Length	17.3 mm[.681 in]
Row-to-Row Spacing	1.25 mm[.05 in]

Configuration Features

Number of Pairs	48
Number of Signal Positions	96
Stackable	Yes
Pairs per Column	8
Number of Positions	96
Number of Rows	8
Number of Columns	12
PCB Mount Orientation	Right Angle

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1857657-2
Female Connector




TE Part # 1982738-2
Female Connector IEC

Also in the Series | Z-PACK Slim UHD



Hard Metric Backplane Connectors(2)




High Speed Backplane Connectors(12)

Customers Also Bought




TE Part #2227671-2
zQSFP+ STACKED RECEPTACLE ASSEMBLY 2X3



TE Part #2474708-2
RCPT CONN 76 POSN QSFP-DD 112



TE Part #2132003-2
IMP100S,H,V6P14C,LG,REW39,4.9



TE Part #2316069-1
CAGE ASSY, 1X4, QSFP28, SPRING, HS, LP



TE Part #1888652-2
2X1 OFFSET STACK JACK

TE Part #2-2354329-1
CAGE ASSY, QSFP28, 1X2,ZIP HSK, LP

TE Part #6-6318491-6
.5FHP08H,220,S,GIG,08/Sn,HT,NSYes,
W/C

TE Part #2354329-1
CAGE ASSEMBLY, QSFP28, 1X2,ZIP
HSK

TE Part #1-2386218-1
CAGE ASSEMBLY, QSFP112 1X2,
SPRING, HS

TE Part #1-2356555-3
CAGE ASSEMBLY, QSFP28 1X1, OP

Documents

Product Drawings

Right Angle Male Connector

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2042162-2_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2042162-2_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2042162-2_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English