




Switches > Toggle Switches



Contact Current Rating: .4 A

Configuration (Pole-Throw): Double Pole - Double Throw

Operating Function: On On

Number of Positions: 2

Operating Voltage: 20 VDC

## Features

### Product Type Features

Sealed Device	Yes
Switch Connection Type	Printed Circuit
Switch Type	Rocker Switch

### Electrical Characteristics

Contact Current Rating	.4 A
Operating Voltage	20 VAC

### Configuration Features

Configuration (Pole-Throw)	Double Pole - Double Throw
Operating Function	On On
Number of Positions	2

### Mechanical Attachment

Product Mount Type	Board Mount
--------------------	-------------

### Housing Features

Process Sealed	Yes
----------------	-----

### Contact Features

Switch Contact Plating Material	Gold
---------------------------------	------

### Termination Features

Termination Method to PCB	Through Hole - Solder
---------------------------	-----------------------

### Other

EU RoHS Compliance	Compliant
--------------------	-----------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Not Yet Reviewed
-----------------------------	------------------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUN 2018 (191) SVHC > Threshold: Not Yet Reviewed
--	--


Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Wave solder capable to 260°C
---------------------------	------------------------------

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## Customers Also Bought



TE Part #1-1744439-8  
EP2.5 Shrd HDR ASSY 18P VERT, GW



TE Part #2170746-2  
CAGE ASSY, 1X4, QSFP28, SPRING, LP




TE Part #T3110009902-007  
HMN-DM



TE Part #2842154-5  
10P, 2MM, BRK HDR, DRRT, 2.8, 0.1AU,  
TB W/CAP




TE Part #8-1879011-5  
SMF2 680K 5%



TE Part #1742160-1  
TAB, 187 FASTON, MAG-MATE




TE Part #T4145535021-001  
M12 R/A F PNL STAMPED PIN D-  
CODE 2P SHLD



TE Part #2227731-1  
zSFP+ 1x6 Cage Assy, Press-Fit, LP



TE Part #2-2319764-0  
E STACK PIANO 10P G SHORT TUBE  
PD OFF



TE Part #4-2176379-5  
RQ.0805 309R 0.1% 10PPM 5K RL

## Documents

### Product Drawings

[RAD1R102M7RES](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2267088-6\\_A.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2267088-6\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2267088-6\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages



[Subminiature Switches](#)

English