

6VM4S ✓ ACTIVE

Corcom | Corcom M


TE Internal #: 3-6609128-5

Power Entry Module, Quad AC Input, DPST, None, Vertical, 6 A, .110" FASTON Output, 100 VAC / 120 VAC / 240 VAC, Corcom M, Power Entry Modules

[View on TE.com >](#)



EMI & EMC Solutions > EMI Filters > Power Entry Modules > CORCOM M SERIES MULTI-FUNCTION INLET FIL



Filter Type: **Power Entry Module**

Input Voltage Selection: **Quad AC**

Filter Switch Type: **DPST**

Filter Shield Type: **None**

Product Orientation: **Vertical**

[All CORCOM M SERIES MULTI-FUNCTION INLET FIL \(28\)](#)

Features

Mechanical Attachment

Panel Mount Feature Type	Mounting Ears (Horizontal)
--------------------------	----------------------------

Usage Conditions

Operating Temperature Range	-10 – 40 °C
-----------------------------	-------------

Product Type Features

Ground Choke Option	No
Filter Type	Power Entry Module
Filter Switch Type	DPST
Output Termination Type	.110" FASTON
Filtering Requirements	Unfiltered
Filter Connector Type	IEC 320/C-14

Electrical Characteristics

Input Voltage Selection	Quad AC
-------------------------	---------



Leakage Current (Max) (120VAC, 60Hz)	2 μ A
Leakage Current (Max) (250VAC, 50Hz)	5 μ A
Current Rating	6 A
Operating Voltage	100 VAC, 120 VAC, 240 VAC, 230 VAC

Body Features

Filter Shield Type	None
Product Orientation	Vertical

Configuration Features

Fuse Options	Single, Dual
--------------	--------------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-C8114-M1
CORCOM M SERIES MULTI-FUNCTION INLET FIL

Also in the Series | Corcom M



EMI & EMC Accessories(2)



Potentiometers(5)



Power Entry Modules(28)

Customers Also Bought



TE Part #2329383-4
PB OFF/ON FC GRE M1 TERM. IP68



TE Part #34891
TERMINAL,BUDG R 12-10 4



TE Part #2329383-5
PB OFF/ON FC BLU M1 TERM. IP68



TE Part #BSA896N0086202A000
917 PLUG



TE Part #CAT-F439-R2435127
FFC Receptacle Housing: 1.27mm



TE Part #103308-3
016 LOPRO HDR SP 15DP



TE Part #2-1419108-8
RTD14005F



TE Part #5413779-3
COML BNC,50 OHM, HEX CRIMP



Documents

Product Drawings

[6VM4S=F8103](#)

English

CAD Files

Customer View Model

[ENG_CVM_3-6609128-5_N.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_3-6609128-5_N.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_3-6609128-5_N.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_3-6609128-5_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_3-6609128-5_C.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_3-6609128-5_C.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654001_CORCOM_PRODUCT_GUIDE_M_SERIES](#)

English

[Corcom Combined Selector Charts](#)

English

6VM4S

Power Entry Module, Quad AC Input, DPST, None, Vertical, 6 A, .110" FASTON
Output, 100 VAC / 120 VAC / 240 VAC, Corcom M, Power Entry Modules



[Agency Approvals](#)

[UL Report](#)

English