

RNF-100-1/4-4-STK ✓ ACTIVE

RAYCHEM | RAYCHEM RNF-100


TE Internal #: 5053112041

Heat Shrink Tubing, Yellow, 2:1, Single Wall Tubing, Shrinks To 3.2 mm [.126 in], Irradiated Modified Polyolefin, RAYCHEM RNF-100

[View on TE.com >](#)



Heat Shrink Tubing > RNF-100-6 Heat Shrink Tubing



Tubing Product Type: **Heat Shrink Tubing**

Primary Product Color: **Yellow**

Shrink Ratio: **2:1**

Wall Type: **Single Wall**

Recovered Inside Diameter (Max): **3.2 mm [.126 in]**

[All RNF-100-6 Heat Shrink Tubing \(47\)](#)

Features

Electrical Characteristics

Operating Voltage (Max)	.6 kV
-------------------------	-------

Usage Conditions

Shrink Temperature (Min)	95 °C
--------------------------	-------

Tubing Flammability Type	Flame-Retardant
--------------------------	-----------------

Operating Temperature Range	-55 – 135 °C
-----------------------------	--------------

Recovery Temperature	121 °C
----------------------	--------

Dimensions

Recovered Wall Thickness (Nominal)	.65 mm[.026 in]
------------------------------------	-----------------

Product Length	1220 mm[48.031 in]
----------------	--------------------

Recovered Wall Thickness (Tolerance)	.3 mm[.012 in]
--------------------------------------	----------------

Recovered Inside Diameter (Max)	3.2 mm[.126 in]
---------------------------------	-----------------

Expanded Inside Diameter (Min)	6.4 mm[.252 in]
--------------------------------	-----------------

Tubing Size Range	3.2 – 6.4 mm[.126 – .252 in]
-------------------	------------------------------

Body Features

Fluid Type	Lubricating Oil, Hydraulic Fluid, Water, Gasoline
------------	---

Primary Product Color	Yellow
-----------------------	--------



Shrink Ratio	2:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Flexible

Product Type Features

Tubing Product Type	Heat Shrink Tubing
Wall Type	Single Wall

Packaging Features

Packaging Method	Stick
------------------	-------

Operation/Application

Mechanical Resistance	Mechanical Damage, Strain Relief, Fluids, Abrasion
-----------------------	--

Product Availability

Applicable Region	Global
-------------------	--------

Other

Meets Low Outgassing Requirements	No
Product Source	China, Czech Republic
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # EG1114-000
CV1981-ST-230V1600W-EU

Also in the Series | RAYCHEM RNF-100



Heat Shrink Tubing(839)



Orange Heat Shrink Tubing(44)



Power Cable Tubing & Accessories(5)



Single Wall Tubing(838)

Customers Also Bought



TE Part #1577630-1
TERMINAL RT PIDG PEEK STRATO 18-16 AWG



TE Part #1-794059-0
MINI UMNL PIN L/P LF



TE Part #3-1879353-4
RR02 5% 100K AMMO



TE Part #20009605-21
FX29K0-100A-0025-L



TE Part #FS1901-0000-1000-G
1000 GRAM FORCE 20MV/V FORCE
LOAD CELL



TE Part #5053062032
RNF-100-3/16-4-STK




TE Part #5053162047
RNF-100-3/8-4-STK



TE Part #8-1625890-0
2W SM M/OX 5% 820K



TE Part #21949-1
PIN, COILED SPRING, MEDIUM



TE Part #576771-1
LOCATOR

Documents

Product Drawings

[RNF-100-1/4-4-STK](#)

English

Datasheets & Catalog Pages

[RNF-100 Pages from 9-1773447-9](#)

English

Product Specifications

[Application Specification](#)

English

Agency Approvals

[UL](#)

English