



Connectors > Contacts > RF Contacts

RF Contact Style: **Coax**Contact Type: **Pin**Number of Positions: **1**Connector & Contact Terminates To: **Wire & Cable**Contact Orientation: **Straight**

Features

Packaging Features

Packaging Method	Bag
------------------	-----

Packaging Quantity	1
--------------------	---

Product Type Features

RF Contact Style	Coax
------------------	------

Connector & Contact Terminates To	Wire & Cable
-----------------------------------	--------------

Contact Features

Contact Type	Pin
--------------	-----

Contact Orientation	Straight
---------------------	----------

Contact Mating Area Plating Material	Gold
--------------------------------------	------

Contact Mating Retention	With
--------------------------	------

Contact Current Rating (Max)	23 A
------------------------------	------

Configuration Features

Number of Positions	1
---------------------	---

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Other

EU RoHS Compliance	Compliant with Exemptions
--------------------	---------------------------

EU ELV Compliance	Compliant with Exemptions
-------------------	---------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	<p>Current ECHA Candidate List: JUNE 2024 (241)</p> <p>Candidate List Declared Against: JUNE 2024 (241)</p> <p>SVHC > Threshold:</p> <p>Pb (1.2% in Contact Lead-Copper Alloy)</p> <p>Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</p>
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought

<p>TE Part #6162-233-1277</p> <p>COAX PIN ASSY</p>	 <p>TE Part #TAA545B1411-020</p> <p>M12A4-MS-FS-PVC-2.0M</p>	<p>TE Part #6162-325-1231</p> <p>COAX SOC ASSY</p>	<p>TE Part #6162-283-0877</p> <p>CONT PIN ASSY</p>
--	---	--	--




TE Part #TAD14541111-020
M12D4-MS-FS-PVC-22SH-TYPE B
GREEN-2.0M



TE Part #812860-000
202K163-3-0




TE Part #38941-20L
CONT PIN



TE Part #Y88117-8-4SV004000
PLUG ASSY



TE Part #Y52055-09-35PNV003
HERM RECP



TE Part #Y88117-8-2SV004000
PLUG ASSY

Documents

Product Drawings

[COAX PIN ASSY](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English