

63402-2 ✓ ACTIVE

FASTON | FASTON 312


TE Internal #: 63402-2

Quick Disconnect Tab, 7.92 mm [.312 in] Tab Width, Straight, Steel, Nickel Plating, Loose Piece/Carton, Tab-Lok, Open Barrel, Uninsulated, FASTON 312

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Mating Tab Width: **7.92 mm [.312 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Terminal Orientation: **Straight**

Contact Base Material: **Steel**

Features

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Connection Capacity	Single
---------------------	--------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Product Length	19.05 mm[.75 in]
----------------	------------------

Terminal Material Thickness	.81 mm[.032 in]
-----------------------------	-----------------

Packaging Features

Packaging Quantity	1000
--------------------	------

Packaging Method	Loose Piece/Carton
------------------	--------------------

Contact Features



Quick Disconnect Terminal Type	Tab
Mating Tab Width	7.92 mm [.312 in]
Mating Tab Thickness	.81 mm [.032 in]
Terminal Orientation	Straight
Contact Base Material	Steel
Terminal Plating Material	Nickel
Crimp Type	Tab-Lok
Barrel Type	Open

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 250 °C [-40 – 482 °F]

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides





on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | FASTON 312



Customers Also Bought



TE Part #2-1879026-3
YR1 0.1% 16R5



TE Part #4-1879208-0
CPF 0402 430R 0.1% 25PPM 1K RL



TE Part #2-1393248-7
W33-S4B1Q-20=W33



TE Part #1-350779-9
04P UMNL V0 PLUG HSG BLACK



TE Part #62827-1
WELD TAB 24-22 AWG SST



TE Part #7-1879214-6
CPF 0402 2K26 0.1% 25PPM 1K RL



TE Part #3-1393122-8
KHAU-17A16-24=KH



TE Part #3-1579001-9
ERGO DIE MCP 1,2 CB



TE Part #1986160-5
Crimp Style housing, 5.08, Green, 5
posn



TE Part #1986160-4
Crimp Style housing, 5.08, Green, 4
posn

Documents

Product Drawings

312 FASTON TAB NPST

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_63402-2_K.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_63402-2_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_63402-2_K.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.