



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **White**

Primary Product Material: **Nylon**

Number of Positions: **8**

Operating Temperature (Max): **105 °C [221 °F]**

Features

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Mechanical Attachment

Strain Relief	With
---------------	------

Housing Features

Centerline (Pitch)	3.96 mm [.156 in]
--------------------	-------------------

Usage Conditions

Compatible With IDC Installation Type Connector	Feed Thru
Operating Temperature (Max)	105 °C [221 °F]
Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]

Product Type Features

Product Profile	Standard
Connector Cover Type	Strain Relief Cover

Body Features

Primary Product Color	White
-----------------------	-------



Primary Product Material Nylon

Configuration Features

Number of Positions 8

Other

EU RoHS Compliance Compliant

EU ELV Compliance Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU Compliant

EU ELV Directive 2000/53/EC Compliant

China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006
 Current ECHA Candidate List: JUNE 2024 (241)
 Candidate List Declared Against: JUNE 2024 (241)
 Does not contain REACH SVHC

Halogen Content Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | **MTA 156**




Connector Caps & Covers(89)



Connector Contacts(4)




Connector Hardware(2)




Power Contacts(3)



Rectangular Power Connectors(331)



Standard Rectangular Connectors(336)



Wire-to-Board Headers & Receptacles (677)

Customers Also Bought



TE Part #YDTS26W13-35SNV001
PLUG ASSY



TE Part #1623734-3
SBCV15 22K 10%



TE Part #3-644465-8
08P MTA156 CONN ASSY 18AWG
ORA



TE Part #5-103639-3
04 MTE HDR SRST LATCH .100CL



TE Part #234835-E
SRCA 2,54 2 M 1 SMD 137 E1 168 *
GURT *



TE Part #4-640621-4
14P MTA100 CONN ASSY F/T NATL



TE Part #3-644466-6
06P MTA156 CONN ASSY 20AWG YEL



TE Part #YDTS26W11-35SNV001
PLUG ASSY



TE Part #4-644466-2
12P MTA156 CONN ASSY 20AWG YEL



TE Part #1759503-1
mini PCI-E 8H Type I PKG G/F

Documents



Product Drawings

08P MTA156 FD-THRU COVER

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_643071-8_M.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_643071-8_M.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_643071-8_M.3d_stp.zip](#)

English

3D PDF

English

Customer View Model

[ENG_CVM_643071-8_F.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_643071-8_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_643071-8_F.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

Japanese

Application Specification

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

Japanese

Instruction Sheets

Instruction Sheet (U.S.)

English