

B-900-22 ✓ ACTIVE

RAYCHEM


TE Internal #: 696760-000

10.41 mm, [.409 in] Expanded Inside, Shrinks To .15 in, 20 AWG, .5 mm² Wire, SolderSleeve Shield Terminators

[View on TE.com >](#)



Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



Operating Temperature (Max): 150 °C

Expanded Inside Diameter (Min): 10.41 mm [.409 in]

Recovered Inside Diameter (Max): 3.81 mm [.15 in]

Pre-Installed Lead: **Yes**

Resistance Properties: **Splash Protection**

Features

Product Type Features

Interconnect Device Splice Type	SolderSleeve
---------------------------------	--------------

Usage Conditions

Operating Temperature (Max)	150 °C
Resistance Properties	Splash Protection

Dimensions

Expanded Inside Diameter (Min)	10.41 mm[.409 in]
Recovered Inside Diameter (Max)	3.81 mm[.15 in]
Wire Size	20 AWG

Configuration Features

Pre-Installed Lead	Yes
--------------------	-----

Other

EU RoHS Compliance	Not Compliant
EU ELV Compliance	Not Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (37% in Solder) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # EG8162-000
HL1920E-230V-EURO

Customers Also Bought




TE Part #2-1437490-4
7022WCIMT=96VDC 1.5-15 SECS




TE Part #52041-3
TERMINAL,R PG 8 1/4



TE Part #D87851-000
HX-SCE-1K-4.8-50-4



TE Part #47387
DAHT PG PIDG 20-14 ASSY



TE Part #2836883001
44A0211-20-5



TE Part #4611264003
ZHTM-24/12-0-SP




TE Part #52934
TERMINAL,PIDG SPR SPD 16-14 5



TE Part #326882
TERMINAL,PIDG R 16-14 6



TE Part #165046
PIDG WIRE PIN



TE Part #59239-4
HHHT PIDG PG 12-10 ASSY

Documents

Product Drawings

[B-900-22](#)

English

Product Specifications

[Product Specification](#)

English

[Installation Procedure for SolderSleeves B-003-0X, B-058-0X, B-900-0X](#)

English