


MADISON CABLE

TE Internal #: 7-1437356-3

TE Internal Description: 171-16G=16P 28AWG S

[View on TE.com >](#)

Wire & Cable > Ribbon & Flat Cable

Number of Conductors: **16**Shielded: **No**Wire & Cable Insulation Material: **PVC**Cable Length: **30.5 m [100 ft]**Conductor Material: **Tinned Copper****Features****Configuration Features**

Number of Conductors	16
Number of Strands	7

Electrical Characteristics

Current Rating	2 A
Propagation Delay	4.53 ns/m
Capacitance	46 pF/m[28 pF/ft]
Impedance	100 Ω
Operating Voltage	300 V

Signal Characteristics

Cross Talk (Near End)	5 %
Cross Talk (Far End)	6.7 %

Body Features

Jacket Material	PVC
Cable Color	Blue
Wire & Cable Insulation Material	PVC
Conductor Material	Tinned Copper

Housing Features

Centerline (Pitch)	1.27 mm[.05 in]
--------------------	-----------------

Dimensions

Cable Insulation Width	20.32 mm[.8 in]
Cable Insulation Thickness	.91 mm[.036 in]
Cable Length	30.5 m[100 ft]
Wire Size	.08 mm ²
Strand Size	36 AWG

Operation/Application

Shielded	No
----------	----

Industry Standards

Compatible With Agency/Standards Products	UL
UL Listing	AWM Style 2651

Packaging Features

Packaging Method	Reel
------------------	------

Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought



TE Part #746611-6
16 DIP PLUG, 300CL, LEAD FREE



TE Part #2-1419142-2
PE014003




TE Part #1614886-1
CPF0805 10K 0.1% 25PPM 5K RL



TE Part #1614909-1
CPF0805 22K 0.1% 25PPM 5K RL



TE Part #1614935-1
CPF0805 47K 0.1% 25PPM 5K RL



TE Part #1-2199299-2
28P,DIP SKT,600 CL,LDR,PB FREE



TE Part #1393793-9
V23105A5405A201



TE Part #1624197-1
17P/PC 10KA 6X19FL SPDT PP



TE Part #1-825457-3
MOD 2 PINHDR 2X13P.



TE Part #2-1393788-2
V23079A1008B301

Documents

[Product Drawings](#)
[171-16G=16P 28AWG S](#)

English