HT-SCE-1/8-2.0-S1-9 ✔ ACTIVE

TE Internal #: 8880530001

Ladder, High Temperature, 2:1, White, 1 Prescores, 2 Markers per Sleeve, 25.4 mm [1 in] Length, 3.18 mm [.125 in] Expanded Inside, Printable Tubing

View on TE.com >

Identification & Labeling > Printable Tubing > HT-SCE High Temperature Sleeves

Printable Tubing Type: **Ladder**

Printable Tubing Grade: **High Temperature**

Shrink Ratio: **2:1**

Primary Product Color: **White**

Number of Prescores: **1**

All HT-SCE High Temperature Sleeves (51)

Features

Packaging Features

Packaging Quantity	250

Printer/Label Features

Printer Technology	Thermal Transfer
Number of Prescores	1

Product Type Features

Printable Tubing Type	Ladder
Printable Tubing Grade	High Temperature

Body Features

Shrink Ratio	2:1
Primary Product Color	White
Markers per Sleeve	2

Dimensions

Product Length	25.4 mm[1 in]
Expanded Inside Diameter (Min)	3.18 mm[.125 in]
Recovered Inside Diameter (Max)	1.58 mm[.062 in]
Compatible Cable Diameter Range	1.75 – 2.66 mm[.068 – .104 in]

Usage Conditions

Operating Temperature Range	-55 – 225 °C[-67 – 437 °F]

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 1-2186503-1
T3224-SWARE-PRINTER

TE Part # 1-2186500-1
T3212-PRINTER

TE Part # 1-2186502-1
T3224-PRINTER



TE Part # 754073-000
TMS-RJS-RIBBON-4HT

TE Part # 1-2186501-1
T3212-SWARE-PRINTER

Customers Also Bought

TE Part #34136
SPLICE,PG PARA 12-10



TE Part #042871-000
DK-621-0440-4P

TE Part #ZPF000000000103649
951-02 R 14-19 PY 50



TE Part #638491-000
DK-621-0434-1P

TE Part #5476270001
HT-SCE-3/32-2.0-9



TE Part #542467-000
DK-621-0436-2S

TE Part #T4112012081-000
M12 F, 8P GOLD A_CODE RA SHIELDED PG9



TE Part #530805-000
DK-621-0436-2P



TE Part #361727-000
DK-621-0438-3P



TE Part #59287-2
HHHT PIDG PG 12-10 ASSY

Documents

Datasheets & Catalog Pages

IDENTIFICATION SELECTION GUIDE

English

HT-SCE High Temperature Heat Shrink Identification System

English

Product Specifications

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English

Instruction Sheets

Instruction Sheet (non U.S.)

English