




**TMS-SCE**

TE Internal #: CC9058-000

Ladder, Military, 3:1, Yellow, 1 Prescores, 2 Markers per Sleeve, 25 mm [1 in] Length, 57.1 mm [2.25 in] Expanded Inside, TMS-SCE, Printable Tubing

[View on TE.com >](#)

Identification & Labeling > Printable Tubing > TMS-SCE Military Grade Sleeves



Printable Tubing Type: **Ladder**

Printable Tubing Grade: **Military**

Shrink Ratio: **3:1**

Primary Product Color: **Yellow**

Number of Prescores: **1**

[All TMS-SCE Military Grade Sleeves \(147\)](#)

**Features**

**Packaging Features**

Packaging Quantity	250
--------------------	-----

**Printer/Label Features**

Printer Technology	Thermal Transfer
Number of Prescores	1

**Product Type Features**

Printable Tubing Type	Ladder
Printable Tubing Grade	Military

**Body Features**

Shrink Ratio	3:1
Primary Product Color	Yellow
Markers per Sleeve	2

**Dimensions**

Product Length	25 mm[1 in]
Expanded Inside Diameter (Min)	57.1 mm[2.25 in]
Recovered Inside Diameter (Max)	19 mm[.75 in]



Compatible Cable Diameter Range 22.3 – 50.8 mm [.88 – 2 in]

**Usage Conditions**

Operating Temperature Range -55 – 135 °C [-67 – 275 °F]

**Other**

EU RoHS Compliance Compliant

EU ELV Compliance Compliant

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU Compliant

EU ELV Directive 2000/53/EC Compliant

China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006  
 Current ECHA Candidate List: JUNE 2024 (241)  
 Candidate List Declared Against: JUNE 2024 (241)  
 Does not contain REACH SVHC

Halogen Content Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability Not applicable for solder process capability

**Product Compliance Disclaimer**

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


**Compatible Parts**



Also in the Series | **TMS-SCE**



Customers Also Bought



Documents

**Product Drawings**  
TMS-SCE-2-1/4-2.0-S1-4

English

**Datasheets & Catalog Pages**  
IDENTIFICATION SELECTION GUIDE

English



## TMS-SCE Heat Shrinkable Sleeves

English

---

### Product Specifications

#### Product Specification

English

#### IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

English

---

### Instruction Sheets

#### Instruction Sheet (non U.S.)

English