



**HX-SCE**

TE Internal #: E21108-000

Ladder, Low Fire Hazard, 2:1, White, 1 Markers per Sleeve, 50 mm [2 in] Length, 3.2 mm [.126 in] Expanded Inside, HX-SCE, Printable Tubing

[View on TE.com >](#)

Identification & Labeling > Printable Tubing > HX-SCE Low Fire Hazard Sleeves



Printable Tubing Type: **Ladder**

Printable Tubing Grade: **Low Fire Hazard**

Shrink Ratio: **2:1**

Primary Product Color: **White**

Markers per Sleeve: **1**

[All HX-SCE Low Fire Hazard Sleeves \(53\)](#)

**Features**

**Printer/Label Features**

Printer Technology	Thermal Transfer
--------------------	------------------

**Packaging Features**

Packaging Quantity	1000
--------------------	------

**Product Type Features**

Printable Tubing Type	Ladder
Printable Tubing Grade	Low Fire Hazard

**Body Features**

Shrink Ratio	2:1
Primary Product Color	White
Markers per Sleeve	1

**Dimensions**

Product Length	50 mm[2 in]
Expanded Inside Diameter (Min)	3.2 mm[.126 in]
Recovered Inside Diameter (Max)	1.58 mm[.06 in]
Compatible Cable Diameter Range	1.77 – 2.66 mm[.069 – .105 in]



### Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

### Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



Also in the Series | **HX-SCE**



Customers Also Bought





## Documents

### Datasheets & Catalog Pages

#### IDENTIFICATION SELECTION GUIDE

English

#### Technical Datasheet for HX-SCE Heat Shrink Marker Sleeves

English

#### Cable Identification Product Shelf Life

English

---

### Product Specifications

#### Product Specification

English

#### IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

English

---

### Instruction Sheets

#### Instruction Sheet (non U.S.)

English