



RAYCHEM | RAYCHEM Rayaten

TE Internal #: EK7266-000

25, Modified Elastomer, Adhesive Precoat, 20 mm [.787 in]

Expanded Inside, Shrinks To 10.4 mm [.41 in], Straight, RAYCHEM

Rayaten, EMI Shielded Boots

[View on TE.com >](#)

Wire Protection & Management > Heat Shrink Shapes > EMI Shielded Boots



Material Systems Code: 25

Primary Product Material: **Modified Elastomer**

Adhesive Requirement: **Adhesive Precoat**

Expanded Inside Diameter (Min): 20 mm [.787 in]

Recovered Inside Diameter (Max): 10.4 mm [.41 in]

Features

Usage Conditions

Operating Temperature Range	-75 – 150 °C
-----------------------------	--------------

Other

Adhesive Code	86
EU RoHS Compliance	Compliant

Body Features

Primary Product Color	Black
Material Code	25
Material Systems Code	25
Primary Product Material	Modified Elastomer

Configuration Features

Adhesive Requirement	Adhesive Precoat
----------------------	------------------

Dimensions

Expanded Inside Diameter (Min)	20 mm [.787 in]
Recovered Inside Diameter (Max)	10.4 mm [.41 in]
Compatible Cable Diameter Range	5.25 – 9.35 mm [.21 – .37 in]

Housing Features

Body Orientation	Straight
------------------	----------



Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 991967-000
[PR-26-REFLECTOR](#)



TE Part # EG1118-000
[CV1981-ST-120V1600W-US](#)



TE Part # EG1120-000
[CV1981-ST-120V1600W-UK](#)



TE Part # EG1114-000
[CV1981-ST-230V1600W-EU](#)



TE Part # EG1115-000
CV1981-ST-230V1600W-CH

Also in the Series | RAYCHEM Rayaten



EMI Shielded Boots(79)


Customers Also Bought



TE Part #142782-000
MWTM-25/8-1500/S(S10)




TE Part #615595-000
B-150-07-S



TE Part #814300-000
202A174-3-0



TE Part #D561523001
RAY-101-4.0(100)



TE Part #041618-000
202K142-100-0



TE Part #CAT-T3437-H85999A
HT-SCE High Temperature Sleeves



TE Part #CAT-HST-RNF3000
RNF-3000 Heat Shrink Tubing

Documents

[Product Drawings](#)
[202S121-25C/86-0](#)

English

[Datasheets & Catalog Pages](#)
[INSTALITE Molded Boots with Rayaten](#)

English

202S121-25C/86-0

25, Modified Elastomer, Adhesive Precoat, 20 mm [.787 in] Expanded Inside, Shrinks To 10.4 mm [.41 in], Straight, RAYCHEM Rayaten, EMI Shielded Boots

