



Relays & Contactors > Electromechanical Relays > Power Relay, 200A, Standard, Monostable, DC



Relay & Contactor Type: **General Purpose Power Relay**

Current Type: **DC**

Coil Magnetic System: **Monostable**

Contact Arrangement: **1 Form X SPST-NO-DM**

Contact Current Rating: **200 A**

[All Power Relay, 200A, Standard, Monostable, DC \(22\)](#)

Features

Contact Features

Contact Material	Silver Alloy
------------------	--------------

Other

Contact Current Class	200 A
-----------------------	-------

Dimensions

Product Width	60 mm[2.36 in]
---------------	----------------

Product Length	78 mm[3.07 in]
----------------	----------------

Product Height	108 mm[4.25 in]
----------------	-----------------

Packaging Features

Packaging Method	Carton
------------------	--------

Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Holes
-------------------------------	----------------------------

Product Mount Type	Chassis Mount
--------------------	---------------

Electrical Characteristics

Coil Resistance	62 Ω
-----------------	-------------

Contact Current Rating	200 A
------------------------	-------



Coil Voltage Rating	18 VDC, 32 VDC
Contact Voltage Rating	28 VDC
Coil Power Rating DC	.01 W

Configuration Features

Coil Special Features	Coil Suppression Diode
Contact Number of Poles	1
Contact Arrangement	1 Form X SPST-NO-DM

Product Type Features

Relay & Contactor Type	General Purpose Power Relay
------------------------	-----------------------------

Operation/Application

Current Type	DC
Coil Magnetic System	Monostable

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Yet Reviewed
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.




Compatible Parts



TE Part # CAT-AL6-KSPR29200
Power Relay, 200A, Standard, Monostable, DC

Also in the Series | **KISSLING Series 29**



DC Relays(122)



Electromechanical Relays(122)


Customers Also Bought




TE Part #K1013120
Relay 29-321-12



TE Part #K1016715
Limit switch G13-01-1220



TE Part #K1154007
Relay 28-311-99-909



TE Part #K1154223
Relay 28-311-99-910



TE Part #K1126751
Battery Disconnect 35-220-000-R



TE Part #K1137217
Battery Disconnect 35-524-231-R-900

Documents

[Product Drawings](#)

[Relay 29-213-12](#)

English

[Relay 29-213-12](#)



German

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_29-213-12_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_29-213-12_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_29-213-12_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[KISSLING SINGLE POLE POWER RELAYS Series 29 / 200A](#)

English