



DEUTSCH | DEUTSCH 369

TE Internal #: YD369-P66-BS000000

Connector Assembly, Plug, Crimp, Wire-to-Wire, Normal, 6 Position, 2.54 mm [.1 in] Centerline, 2 Row, DEUTSCH 369, Standard Rectangular Connectors

[View on TE.com >](#)

Connectors > Rectangular Connectors > Standard Rectangular Connectors > Rectangular Connectors: 6-Way Plug



Connector Product Type: **Connector Assembly**

Connector & Housing Type: **Plug**

Mating Alignment: **With**

Mating Alignment Type: **Keyed**

Mating Retention: **With**

[All Rectangular Connectors: 6-Way Plug \(23\)](#)

Features

Dimensions

Row-to-Row Spacing	2.54 mm [.1 in]
Compatible Insulation Diameter Range	.71 – 1.37 mm [.028 – .054 in]

Body Features

Connector & Keying Code	B
Connector Seal Color	Natural
Seal Material	Fluorosilicone
Cable Exit Angle	180°
Seal Type	Interfacial Seal, Grommet Seal
Primary Product Color	Blue

Electrical Characteristics

Operating Voltage	400 VAC
-------------------	---------

Housing Features

Housing Material	Composite
Shell Material	Composite
Centerline (Pitch)	2.54 mm [.1 in]

Configuration Features



Number of Columns	3
Number of Signal Positions	6
Number of Cavities	6
Number of Power Positions	6
Contacts Preloaded	Yes
Number of Positions	6
Number of Rows	2

Contact Features

Contact Size	Size 22
Contact Type	Socket
Contact Retention Within Housing	With
Contact Current Rating (Max)	5 A

Product Type Features

Connector Seal & Plug Type	Triple-Seal
Connector Shell Size	06
Connector Product Type	Connector Assembly
Connector & Housing Type	Plug
Connector System	Wire-to-Wire
Insertion Force Type	Normal
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable

Mechanical Attachment

Mating Alignment	With
Mating Alignment Type	Keyed
Mating Retention	With
Mating Retention Type	Button Latch

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Usage Conditions

Operating Temperature Range	-55 – 175 °C[-67 – 347 °F]
-----------------------------	----------------------------

Operation/Application

Shielded	No
----------	----



Circuit Application

Power & Signal

Other

EU RoHS Compliance

Compliant

EU ELV Compliance

Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
Candidate List Declared Against: JAN 2024 (240)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Reflow solder capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # YD369-B66-BP500000
369 6 WAY PANEL MNT REC, 90 PCB TIN, PIN



TE Part # YD369-B66-BP000000
369 6 WAY PANEL MNT REC, NO CONTACTS,PIN



TE Part # CAT-D369-R66
Rectangular Connectors, 6 Way Receptacle




TE Part # YD369-B66-BP400000
369 6 WAY PANEL MNT REC, 90 PCB GOLD,PIN



TE Part # CAT-D369-G66
PCB Mount Receptacle: 6-Way Inline

Also in the Series | DEUTSCH 369



PCB Headers & Receptacles(91)



Standard Rectangular Connectors(358)



Wire-to-Board Headers & Receptacles (91)

Customers Also Bought



TE Part #4554650001
TMS-SCE-1K-1/8-2.0-9



TE Part #1658645-1
KIT,HDP-20,OVRMLD,PLUG,SIZE 1,



TE Part #359434-000
SO63-4-00




TE Part #3-747579-4
SHLDNG FERRULE, PLTD, BULK PKG



TE Part #5748634-1
KIT,RCPT,15P,HDP-22,SHLD HDWRE



TE Part #937625-000
22759/45-22-9



TE Part #ZPF00000000099705
DMC-M 99-01 BN



TE Part #1658651-1
KIT,HDP-20,OVRMLD,RCPT,SIZE 4,



TE Part #2-747580-2
SHLDING FERRULE,PLTD TIN,BULK



TE Part #ZPF000000000146309
DMC-MD 26 G-K-T



Documents

Product Drawings

[369 6 WAY PLUG, NO CONTACTS, SKT](#)

English

[369 6 WAY PLUG, NO CONTACTS, SKT](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_YD369-P66-BS000000_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_YD369-P66-BS000000_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_YD369-P66-BS000000_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.